

pure productivity

durable. effective. filter.

SEED TREATMENT

THE ORIGINAL
BY HERDING

● ● ●
made in germany



BENEFITS

SAFE FILTRATION OF **SEED FINE PARTICULATES**

The refinement of seeds increases their value many times over and as a result makes them an extremely valuable product. A highly efficient separation and filtration technology is thus essential in order to highly effectively separate the resulting fine particulates and in addition ensure constant operating conditions. Moreover, additives that are hazardous to health and possible bacteriological contaminants require maximum protection of the employees.

The Herding® Sinter-Plate Filters base on pure surface filtration combines very high separation efficiency with absolutely constant operating conditions. It thus meets the high demands on the filter technology used in this field and sets equal standards compared to conventional filter media. It reliably separates even the finest particle fractions and achieves enormously high lifetimes of 15 years and more, depending on the process. Thereby the use of the Herding® filter technology provides a valuable contribution to the increase of productivity and sustainability.

**PROTECTS
VALUABLE PRODUCTS**



**DURABLE
LONG SERVICE LIFE**



**CONSTANT
OPERATING CONDITIONS**



**ENERGY EFFICIENCY
DUE TO LOW CLEANING PRESSURE**




**ACTIVE HEALTH PROTECTION
BY SAFE SEPARATION**



**COMPACT
DESIGN**



**PURE AIR AND CLEAN GAS
DUE TO LOWEST CLEAN GAS VALUES**



Source: SEED PROCESSING HOLLAND

PROCESSES

RELIABLE EXTRACTION FOR ALL AREAS

The priority in seed processing is effective recovery of the high-quality seed from the original grain. Filtration and separation technologies are mandatory and therefore are used in all process steps of the seed treatment. The separation process require absolutely consistent extraction volume at the respective capturing points in order to secure reproducible results. Individually designed filter systems incl. efficient dust collection and high separation performance are equally indispensable in order to guarantee maximum worker safety. The Herding® Sinter-Plate Filters with uniquely high guaranteed lifetimes and absolutely constant operating conditions cover all the processes of the seed preparation highly efficiently and reliably.





Source: Syngenta Seeds

UNITS

HERDING **FILTER TECHNOLOGY** - PURE PRODUCTIVITY

Sustainable Filtration - „made in Germany“

From filter medium up to completely installed filter units, the production chain begins with the filter media production and ends in the final installation. The vertical range of manufacturing in Germany guarantees our customers worldwide an extremely high quality standard and maximum flexibility.

A wide variety of system types is realised based on a sophisticated modular principle, which can be individually tailored for the respective application case and is designed especially to the diverse demands in seed preparation. A large spectrum of housing and construction materials rounds out the range of variation.

HERDING **FLEX**

The flexible type series



HERDING **COMP**

The compact type series for limited space





The composition, the grain size distribution and the specific explosion parameters of the different particulate materials in seed preparation often require due to the resulting risk of explosion a safety concept tailored to the application case.

Herding® Filtertechnik has a wide-ranging portfolio of preventative and constructive safety technology for filter units available for the user. From consultation and selection of the suitable safety concept, the safe and ATEX-compliant design of the filter units, up to their installation, commissioning, and service.

The Herding Sinter-Plate Filter offer here a unique advantage: As the only filter element on the market, the rigid body acts as a dust EX-zone barrier, whereby no potentially explosive dust atmosphere is present on the clean gas side of the filter unit.

HERDING FLAMELESS

Clean gas side, flameless and smoke-free pressure relief



EXPLOSION PROTECTION CONCEPTS

Preventative, primary measures

Prevent potentially explosive atmospheres by the separation of the processes into sections with and without organic solvents

Preventative, secondary measures

Avoidance of effective ignition sources in filter units.

In many application cases preventative measures are sufficient to safely prevent explosions in the filter unit.

Constructive, tertiary measures

Reduction of the effect of the explosion events in the filter unit

- Raw gas side pressure relief, e.g. with explosion panel
- Raw gas side flameless pressure relief with suitable quenching devices
- Clean gas side flameless and smoke-free pressure relief - Herding FLAMELESS
- Explosion suppression system



CONTACT

Please feel free to contact us! You can fill in the form and send it to us by e-mail.

Company

First name

Family name

Phone

E-Mail

Branch

Application

Comments

Herding® is a registered trade mark // V1.1n

Herding GmbH Filtertechnik
August-Borsig-Str. 3
92224 Amberg/Germany

Phone: +49 9621 630-0
Mail: info@herding.de
www.herding.com

FOLLOW US ON

