





REGENERATION

LONGER LIFE THROUGH INNOVATIVE RENEWAL

Only the Herding® Sinter-Plate Filter can be regenerated

Herding filter media are characterised by their exceptional durability. Our unique regeneration process significantly extends the service life and helps to conserve valuable resources.

The Herding® Sinter-Plate Filter consists of a porous sintered polyethylene (PE) body with a PFAS-free coating embedded in the surface pores. This provides pure separation on the surface under absolutely stable wwconditions. Dust or process deviations can damage the filter surface. While conventional filter systems such as cartridges or bags are irreversibly damaged, the Herding® Sinter-Plate Filter can be regenerated by recoating the base body and in most cases successfully reused.














HERDING® REGENERATION PROCESS



2-YEAR WARRANTY

The properties of a regenerated filter element from Herding® are virtually the same as from a new one. The re-work on the filter body may slightly affect the differential pressure. A warranty period of two years on the mechanical strength applies.





WE LOOK FORWARD TO QUOTE FOR YOU

Company

First name Family name

Phone E-Mail

Serial(ID)-Number of your filter plant (see type plate)

Number Item number of your filter elements (see parts list)

Name filter elements

Herding GmbH Filtertechnik August-Borsig-Str. 3 92224 Amberg / Germany Phone: +49 9621 630-0 Mail: service@herding.de www.herding.de FOLLOW US ON



