

pure productivity
durable. effective. filter.

FOOD PRODUCTION

THE ORIGINAL
BY HERDING


made in germany



BENEFITS

SAFE FILTRATION IN FOOD PRODUCTION

The production of foodstuffs places special demands on filter systems in processes in which bulk materials, powders or other particulate products play a role. In addition to high separation performance, the focus is on hygiene and contamination-free product recovery.

Herding® filter systems meet these highest requirements. Finest particle fractions are reliably separated on the basis of pure surface filtration. Long service life, lowest clean gas values, absolutely constant operating conditions, maximum availability and energy efficiency are the key features of this innovative technology. If required, filter elements with corresponding foodstuffs approval according to the FDA and/or (EC) 1935/2004 (EU) 10/2011 are available and applicable.

**PURE RECOVERY THROUGH
FIBER-FREE FILTER MEDIUM**



**PROTECTS
VALUABLE PRODUCTS**



**ENERGY EFFICIENCY
DUE TO LOW CLEANING PRESSURE**



**CONSTANT
OPERATING CONDITIONS**



**SAFETY DUE TO HYGIENIC
SYSTEM DESIGN**



**SAFE HANDLING
OF STICKY DUST**



**DURABLE
LONG SERVICE LIFE**



PROCESSES

SUSTAINABLE FILTRATION FOR ALL AREAS

Often even smallest product contaminants are the reason for rejecting complete production batches with high losses. The motivation for sustainable and efficient filtration in the food production therefore has many backgrounds. Pure product recovery, easy and complete cleaning as well as maximum separation performance are essential quality requirements for filter systems in food production processes. These measures are necessary to avoid bacteriological contamination of the product. Furthermore, the explosiveness of organic dusts requires safety concepts that are adapted to the individual application.

Herding® Filtertechnik enables maximum availability and safe plant operation in almost all processes that generate particulate emissions.



HERDING FILTERTECHNIK - PURE PRODUCTIVITY

Sustainable filtration - „made in Germany“

From filter media to completely installed filter systems, the production chain starts with the manufacturing of the filter media and ends in the final assembly. The vertical range of manufacture ensures an extremely high quality standard and the greatest possible flexibility for customers worldwide.

Based on a well-planned modular construction system, a wide range of plant type series can be realized, individually customized to suit the specific applications and various demands of the food industry. A large variety of housing/construction and stainless steel materials rounds off a broad range of use in the food industry.

We also offer individual housing and interface design in compliance with hygienic design guidelines as well.

HERDING FLEX

The flexible type series



HERDING PROCESS

Easy cleanability and material variety



HERDING RESIST

Easy cleanability, high pressures and large product loads



The composition, particle size distribution and specific explosion parameters of the various particulate materials in food production often require a protection concept tailored to the application due to the resulting explosion hazard.

Herding® Filtertechnik provides users with a wide-ranging portfolio of preventive and constructive safety technology for filter systems. From consulting and selection of the suitable protection concept to the safe and ATEX-compliant design of the filter systems up to their installation, commissioning and maintenance.

The Herding® Sinter-Plate Filter offers a unique advantage: It is the only filter element on the market whose rigid body acts as a Dust-Ex-Zone-Barrier, which means that there is no dust-explosive atmosphere on the clean gas side of the filter system.

HERDING FLAMELESS

Clean-gas side, flameless and smoke-free pressure relief



EXPLOSION PROTECTION CONCEPTS

Preventive, primary measures

Avoiding explosive atmospheres by separating processes into sections with and without organic solvents

Preventive, secondary measures


Avoiding effective ignition sources in filter systems.

In many applications, preventive measures are sufficient to safely avoid explosions in the filter system

Constructive, tertiary measures

Reducing the effect of the explosion event in the filter system

- Explosion-proof design - HERDING RESIST
- Raw-gas side pressure relief, e.g. with explosion panel
- Raw-gas side, flameless pressure relief with suitable quenching devices
- Clean-gas side, flameless and smoke-free pressure relief - HERDING FLAMELESS
- Explosion suppression



OPTIONS

VACUUM SYSTEMS

- Central disposal of separated dusts in one filter system
- Central vacuum cleaning systems



DUST DISCHARGE

- Continuous or discontinuous systems, tailored to application and customer requirements
- Examples: Rotary air locks, valves, screw conveyors, etc.



DUST COLLECTION AND DUCT WORK

- Engineering, delivery and installation





OPTIONS

SURFACE TREATMENT

- Avoidance of deposits on components in contact with the product, e.g. polishing or grinding
- Wear protection against mechanical or chemical attack, e.g. hardfacing, special coatings

CONTROL

Herdung CONTROL HC 4.0
specifically adapted to the needs of
the filter technology

PLC for more complex system
solutions



INSULATION / HEATING

To avoid condensations in the
filter systems





CONTACT

Please feel free to contact us! You can fill in the form and send it to us by e-mail.

Company

First name

Family name

Phone

E-Mail

Branch

Application

Comments

Herding® is a registered trade mark // V1.1

Herding GmbH Filtertechnik
August-Borsig-Str. 3
92224 Amberg / Germany

Tel.: +49 9621 630-0
Mail: info@herding.de
www.herding.com

FOLLOW US ON

